CozySewPatterns

SEWING PATTERNS

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 119.25, Waist: 104.75, Hips: 125.75
SIZE 20

Notes

How to print

Printing


Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



SIZE 20
Seam Allowance: 1 (3/8 in)

Pattern pieces:

1. "RIGHT FRONT", MAIN FABRIC: Cut 1
2. "LEFT FRONT", MAIN FABRIC: Cut 1
3. "BACK", MAIN FABRIC: Cut 2
4. "SLEEVE", MAIN FABRIC: Cut 2
5. "CUFF", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
6. "LEFT FRONT BUTTON FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
7. "COLLAR STAND", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
8. "RIGHT FRONT PLACKET", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1

Pattern Specs (Circumferences are divided by 2):


1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Stretch factor 1.00 none (3/8 in)
4. Stretch factor horizontal 1.00 none (3/8 in)
5. Stretch factor vertical 1.00 none (3/8 in)
6. Front neck drop 9.42 cm (3 3/4 in)
7. Button diameter 1.00 cm (3/8 in)
8. Front buttons quantity 10.00 pc
9. Front length from HPS to hem 79.81 cm (31 3/8 in)
10. Across chest 62.62 cm (24 5/8 in)
11. Center front length to hem 70.56 cm (27 3/4 in)
12. Center back length to hem 72.50 cm (28 1/2 in)
13. Across front 45.32 cm (17 7/8 in)
14. Across back 38.75 cm (15 1/4 in)
15. Across shoulders 43.46 cm (17 1/8 in)
16. Side seam 37.96 cm (15 in)
17. Waist 94.73 cm (37 1/4 in)
18. Hips 68.74 cm (27 1/8 in)
19. Hemline sweep 87.44 cm (34 3/8 in)
20. Armhole length front 26.86 cm (10 5/8 in)
21. Armhole length back 31.63 cm (12 1/2 in)


22. Neck opening 16.88 cm (6 5/8 in)
23. Neckline length 47.45 cm (18 5/8 in)
24. Back neck drop 3.79 cm (1 1/2 in)
25. Shoulder width 12.89 cm (5 1/8 in)
26. Bust dart to bust dart 28.94 cm (11 3/8 in)
27. Sleeve length 58.47 cm (23 in)
28. Sleeve upper arm width 54.04 cm (21 1/4 in)
29. Gather sleeve opening 61.55 cm (24 1/4 in)
30. Cuff width 3.00 cm (1 1/8 in)
31. Cuff length 27.00 cm (10 5/8 in)
32. Sleeve cap length 60.49 none (23 7/8 in)
33. Placket length 70.56 cm (27 3/4 in)
34. Placket width 3.00 cm (1 1/8 in)
35. Stand height 3.00 cm (1 1/8 in)
36. Collar length 50.45 cm (19 7/8 in)
37. Collar button diameter 1.00 cm (3/8 in)
38. Collar buttons quantity 1.00 pc


CozySewPatterns

SEWING PATTERNS

Paper Size: LETTER;
Print Actual Size (100% Scale);




SLEEVE
MAIN FABRIC: Cut 2





4


SLEEVE

1/2


EASE





fold
5
CUFF
MAIN FABRIC: Cut 2
FUSIBLE INTERFACING: Cut 2
1/4





2/1









2
LEFT FRONT
MAIN FABRIC: Cut 1
3/1




GATHER





BACK


N FABRIC: Cut 2




3/4












MAI


1/4








5/2

















6
LEFT FRONT BUTTON FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1
8
RIGHT FRONT PLACKET
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1
6/3








7/1




1


RIGHT FRONT

MAIN FABRIC: Cut 1






7/5




8/2




8/3





8/5


7
COLLAR STAND
MAIN FABRIC: Cut 2
FUSIBLE INTERFACING: Cut 2


9/2







9/5



10/1

10/2



10/3

10/4

10/5