
cozysewpatterns

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 82.5, Waist: 66, Hips: 90.25
SIZE 0

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

SIZE 0
Seam Allowance: 1 (3/8 in)

Pattern pieces:

1. "FRONT", MAIN FABRIC: Cut 1
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "CUFF", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
5. "FRONT NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
6. "BACK NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
7. "POCKET BAG", LINING: Cut 4


Pattern Specs (Circumferences are divided by 2):


1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Seam allowance p max 1.50 none (5/8 in)
4. Seam allowance poc max 3.00 none (1 1/8 in)
5. Stretch factor 1.00 none (3/8 in)
6. Stretch factor horizontal 1.00 none (3/8 in)
7. Stretch factor vertical 1.00 none (3/8 in)
8. Front neck drop 14.02 cm (5 1/2 in)
9. Pocket entry length 11.16 cm (4 3/8 in)
10. Waist to pocket length 5.30 cm (2 1/8 in)
11. Across chest 44.00 cm (17 3/8 in)
12. Waist 46.60 cm (18 3/8 in)
13. Hips 47.88 cm (18 7/8 in)
14. Front length from HPS to hem 120.96 cm (47 5/8 in)
15. Center front length to hem 106.94 cm (42 1/8 in)
16. Center back length to hem 118.76 cm (46 3/4 in)
17. Across front 30.68 cm (12 1/8 in)
18. Across back 33.21 cm (13 1/8 in)
19. Across shoulders 38.44 cm (15 1/8 in)
20. Side seam 98.80 cm (38 7/8 in)
21. Hemline sweep 56.80 cm (22 3/8 in)
22. Armhole length front 19.77 cm (7 3/4 in)
23. Armhole length back 23.42 cm (9 1/4 in)
24. Neck opening 19.73 cm (7 3/4 in)

25. Neckline length 67.94 cm (26 3/4 in)
26. Back neck drop 3.37 cm (1 3/8 in)
27. Shoulder width 9.09 cm (3 5/8 in)
28. Bust dart to bust dart 21.52 cm (8 1/2 in)
29. Pocket bag height 21.78 cm (8 5/8 in)
30. Sleeve length 57.92 cm (22 3/4 in)
31. Sleeve upper arm width 37.16 cm (14 5/8 in)
32. Gather sleeve opening 53.07 cm (20 7/8 in)
33. Cuff width 3.00 cm (1 1/8 in)
34. Cuff length 21.38 cm (8 3/8 in)
35. Sleeve cap length 44.41 none (17 1/2 in)

cozysewpatterns


Paper Size: LETTER;
Print Actual Size (100% Scale);







BACK


MAIN FABRIC: Cut 1





2


5
FRONT NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1


1/4
ET BAG
: Cut 4









POCKE
LINING


6


BACK NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1








3/2





fold
4
CUFF
MAIN FABRIC: Cut 2
FUSIBLE INTERFACING: Cut 2
3/4


3/5








5/2




5/3







MAI



6/3




6/4

6/5

1


FRONT

N FABRIC: Cut 1




7/2

7/3




7/5

8/1




8/2

8/3




8/4

8/5




9/2


9/3




9/4

9/5





EASE




10/4

10/5




MAIN FABRIC: Cut 2




3


SLEEVE



11/4




11/5






GATHER

12/3





12/5