cozysewpatterns

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 99.25, Waist: 82.75, Hips: 106.5
SIZE 12

Notes

How to print

Printing


Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



SIZE 12
Seam Allowance: 1 (3/8 in)

Pattern pieces:

1. "RIGHT CENTER FRONT", MAIN FABRIC: Cut 1
2. "LEFT CENTER FRONT", MAIN FABRIC: Cut 1
3. "SIDE FRONT", MAIN FABRIC: Cut 2
4. "CENTER BACK", MAIN FABRIC: Cut 2
5. "SIDE BACK", MAIN FABRIC: Cut 2
6. "LEFT FRONT BUTTON FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
7. "FRONT NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
8. "FRONT ARMHOLE FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
9. "BACK NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
10. "BACK ARMHOLE FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
11. "RIGHT FRONT PLACKET", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1


Pattern Specs (Circumferences are divided by 2):


1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Seam allowance p max 1.50 none (5/8 in)
4. Stretch factor 1.00 none (3/8 in)
5. Stretch factor horizontal 1.00 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Front neck drop 17.67 cm (7 in)
8. Back invisible zipper length 18.00 cm (7 1/8 in)
9. Button diameter 1.00 cm (3/8 in)
10. Front buttons quantity 12.00 pc
11. Front length from HPS to hem 102.69 cm (40 3/8 in)
12. Across chest 52.40 cm (20 5/8 in)
13. Center front length to hem 87.61 cm (34 1/2 in)
14. Center back length to hem 99.33 cm (39 1/8 in)
15. Across front 36.94 cm (14 1/2 in)
16. Across back 35.83 cm (14 1/8 in)


17. Across shoulders 39.64 cm (15 5/8 in)
18. Side seam 75.89 cm (29 7/8 in)
19. Waist 45.00 cm (17 3/4 in)
20. Low hips 58.09 cm (22 7/8 in)
21. Hemline sweep 74.15 cm (29 1/4 in)
22. Armhole length front 22.66 cm (8 7/8 in)
23. Armhole length back 26.52 cm (10 1/2 in)
24. Neck opening 20.35 cm (8 in)
25. Back neck drop 5.71 cm (2 1/4 in)
26. Shoulder width 9.97 cm (3 7/8 in)
27. Neckline length 63.23 cm (24 7/8 in)
28. Placket length 87.61 cm (34 1/2 in)
29. Placket width 3.00 cm (1 1/8 in)


cozysewpatterns


Paper Size: LETTER;
Print Actual Size (100% Scale);






8
FRONT ARMHOLE FACING
MAIN FABRIC: Cut 2
FUSIBLE INTERFACING: Cut 2



9
BACK NECK FACING
MAIN FABRIC: Cut 2
FUSIBLE INTERFACING: Cut 2













3


SIDE FRONT

MAIN FABRIC: Cut 2



2
LEFT CENTER FRONT
MAIN FABRIC: Cut 1
3/2








5/1








4

CENTER BACK


MAIN FABRIC: Cut 2











SIDE
MAIN FA







5


: BACK

BRIC: Cut 2






ZIP


1
RIGHT CENTER FRONT
MAIN FABRIC: Cut 1
1/6

LEFT FRONT BUTTON FACING

MAIN FABRIC: Cut 1

FUSIBLE INTERFACING: Cut 1





11


RIGHT FRONT PLACKET


MAIN FABRIC: Cut 1


FUSIBLE INTERFACING: Cut 1












FOLD



7
FRONT NECK FACING
MAIN FABRIC: Cut 2
FUSIBLE INTERFACING: Cut 2





13/1

13/2



10

BACK ARMHOLE FACING

MAIN FABRIC: Cut 2

FUSIBLE INTERFACING: Cut 2

13/3

14/1

14/2

14/3

15/1

15/2

15/3

16/1

16/2

16/3