Print this Calibration Test page first!

Size: Height: 144.75, Bust: 70, Waist: 59.25, Hips: 75
Pattern Name: -

Notes

How to print

Printing


Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: -
Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 1
2. "SKIRT FRONT", MAIN FABRIC: Cut 1
3. "BACK", MAIN FABRIC: Cut 2
4. "SKIRT BACK", MAIN FABRIC: Cut 2
5. "SLEEVE", MAIN FABRIC: Cut 2
6. "FRONT NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
7. "BACK NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
8. "POCKET BAG", LINING: Cut 4
9. "COLLAR PETER PAN", MAIN FABRIC, FUSIBLE INTERFACING: Cut 4

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Stretch factor 1.00 none (3/8 in)
4. Stretch factor horizontal 1.00 none (3/8 in)
5. Stretch factor vertical 1.00 none (3/8 in)
6. Across chest 37.67 cm (14 7/8 in)
7. Across front 26.82 cm (10 1/2 in)
8. Across back 27.81 cm (11 in)
9. Across shoulders 33.80 cm (13 1/4 in)
10. Top side seam 15.99 cm (6 1/4 in)
11. Armhole length front 19.13 cm (7 1/2 in)
12. Armhole length back 18.92 cm (7 1/2 in)
13. Neck opening 13.93 cm (5 1/2 in)
14. Front neck drop 5.97 cm (2 3/8 in)
15. Back neck drop 2.79 cm (1 1/8 in)
16. Shoulder width 10.00 cm (3 7/8 in)
17. Neckline length 36.34 cm (14 1/4 in)
18. Waist seam 36.18 cm (14 1/4 in)
19. Front length from HPS to waist seam 36.76 cm (14 1/2 in)
20. Center front length to waist seam 30.80 cm (12 1/8 in)
21. Center back length to waist seam 32.74 cm (12 7/8 in)
22. Seam allowance poc max 3.00 none (1 1/8 in)


23. Pocket entry length 10.86 cm (4 1/4 in)
24. Waist to pocket length 6.33 cm (2 1/2 in)
25. Side invisible zipper length 18.00 cm (7 1/8 in)
26. Hemline sweep 93.08 cm (36 5/8 in)
27. Skirt side seam 48.81 cm (19 1/4 in)
28. Peter pan collar width 4.99 cm (2 in)
29. Peter pan collar front edges length 3.40 cm (1 3/8 in)
30. Peter pan collar back edges length 2.71 cm (1 1/8 in)
31. Sleeve length 12.41 cm (4 7/8 in)
32. Sleeve upper arm width 33.56 cm (13 1/4 in)
33. Sleeve opening 32.02 cm (12 5/8 in)


Paper Size: A4;
Print Actual Size (100% Scale);




SKIRT FRONT


MAIN FABRIC: Cut 1









2









4


SKIRT BACK


MAIN FABRIC: Cut 2












dl

GATHER






1


FRONT


MAIN FABRIC


3/1


3/2






MAIN FABRIC:


8
POCKET BAG
LINING: Cut 4
3
3/4
BACK






5
SLEEVE
MAIN FABRIC: Cut 2
FRONT NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1
9
NECKLINE BACK
COLLAR
MAIN FA
FUSIBLE INT







: Cut 1




: Cut 2
4/3





9

4/6

PETER PAN

BRIC: Cut 4

ERFACING: Cut 4