
Print this Calibration Test page first!

Size: Height: 106.7, Bust: 56.5, Waist: 52.1, Hips: 57.5
Pattern Name: -

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Pattern Name: -
Seam Allowance: 1 (3/8 in)


Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 1
2. "BACK", MAIN FABRIC: Cut 1
3. "STRAP", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
4. "PATCH POCKET", MAIN FABRIC: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Stretch factor 0.96 none (3/8 in)
4. Stretch factor horizontal 0.96 none (3/8 in)
5. Stretch factor vertical 1.00 none (3/8 in)
6. Front length from HPS to hem 68.94 cm (27 1/8 in)
7. Across chest 28.56 cm (11 1/4 in)
8. Center front length to hem 57.97 cm (22 7/8 in)
9. Center back length to hem 58.10 cm (22 7/8 in)
10. Across front 16.86 cm (6 5/8 in)
11. Across back 17.94 cm (7 1/8 in)
12. Top side seam 51.55 cm (20 1/4 in)
13. Waist 30.98 cm (12 1/4 in)
14. Hips 33.98 cm (13 3/8 in)
15. Hemline sweep 40.10 cm (15 3/4 in)
16. Armhole length front 8.43 cm (3 3/8 in)
17. Armhole length back 9.29 cm (3 5/8 in)
18. Front neck drop 10.96 cm (4 3/8 in)
19. Back neck drop 9.80 cm (3 7/8 in)
20. Pocket entry length 9.70 cm (3 7/8 in)
21. Seam allowance poc max 3.00 none (1 1/8 in)
22. Hem poc max 6.00 none (2 3/8 in)
23. Pocket height 10.66 cm (4 1/4 in)
24. Strap width 0.70 none (1/4 in)
25. Strap length 16.33 none (6 3/8 in)

Paper Size: LETTER;
Print Actual Size (100% Scale);







2


BACK


MAIN FABRIC: Cut 1



1/2


2/1











1
FRONT
MAIN FABRIC: Cut 1
3/1
















3
STRAP
BACK
FOLD
4
PATCH POCKET
MAIN FABRIC: Cut 2

5/2







6/2

6/3