
Print this Calibration Test page first!

Size: Height: 162, Bust: 78.75, Waist: 64, Hips: 85
Pattern Name: -

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Pattern Name: -
Seam Allowance: 1 (3/8 in)


Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 1
2. "BACK", MAIN FABRIC: Cut 1
3. "STRAP", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
4. "PATCH POCKET", MAIN FABRIC: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Stretch factor 0.96 none (3/8 in)
4. Stretch factor horizontal 0.96 none (3/8 in)
5. Stretch factor vertical 1.00 none (3/8 in)
6. Front length from HPS to hem 107.34 cm (42 1/4 in)
7. Across chest 39.24 cm (15 1/2 in)
8. Center front length to hem 90.58 cm (35 5/8 in)
9. Center back length to hem 91.66 cm (36 1/8 in)
10. Across front 22.98 cm (9 in)
11. Across back 23.00 cm (9 in)
12. Top side seam 82.72 cm (32 5/8 in)
13. Waist 43.85 cm (17 1/4 in)
14. Hips 49.32 cm (19 3/8 in)
15. Hemline sweep 61.35 cm (24 1/8 in)
16. Armhole length front 11.14 cm (4 3/8 in)
17. Armhole length back 13.50 cm (5 3/8 in)
18. Front neck drop 16.76 cm (6 5/8 in)
19. Back neck drop 13.04 cm (5 1/8 in)
20. Pocket entry length 12.78 cm (5 in)
21. Seam allowance poc max 3.00 none (1 1/8 in)
22. Hem poc max 6.00 none (2 3/8 in)
23. Pocket height 14.05 cm (5 1/2 in)
24. Strap width 0.70 none (1/4 in)
25. Strap length 23.43 none (9 1/4 in)


Paper Size: LETTER;
Print Actual Size (100% Scale);








BACK


MAIN FABRIC: Cut 1





3
STRAP
BACK
FOLD
1/3



4
PATCH POCKET
MAIN FABRIC: Cut 2
1/4


FRONT








3/1




3/2













FRONT

MAIN FABRIC: Cut 1









5/4


6/1



6/3



6/5




7/3


7/5



8/2



8/3


8/4

8/5