
Print this Calibration Test page first!

Size: Height: 176.5, Bust: 90.2, Waist: 80, Hips: 94
Pattern Name: -

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Pattern Name: -
Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "PANTS BACK", MAIN FABRIC: Cut 2
2. "WAISTBAND", MAIN FABRIC: Cut 1
3. "POCKET FACING", MAIN FABRIC: Cut 2
4. "FLY FACING", MAIN FABRIC: Cut 1
5. "PANTS FRONT RIGHT", MAIN FABRIC: Cut 1
6. "POCKET BAG SMALL LINING", LINING: Cut 2
7. "POCKET BAG BIG RIGHT LINING", LINING: Cut 1
8. "POCKET BAG BIG LEFT LINING", LINING: Cut 1
9. "PANTS FRONT LEFT", MAIN FABRIC: Cut 1
10. "FLY", MAIN FABRIC: Cut 1
11. "FLY INTERFACING", FUSIBLE INTERFACING: Cut 1
12. "LOOP", MAIN FABRIC: Cut 1
13. "FUSIBLE INTERFACING FOR WAISTBAND", FUSIBLE INTERFACING: Cut 2
14. "BACK PATCH POCKET", MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):


1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Seam allowance p max 1.50 none (5/8 in)
4. Waistband partly elastic width 4.00 cm (1 5/8 in)
5. Waistband width 4.30 cm (1 3/4 in)
6. Stretch factor 1.00 none (3/8 in)
7. Stretch factor horizontal 1.00 none (3/8 in)
8. Stretch factor vertical 1.00 none (3/8 in)
9. Pocket bag height 21.25 cm (8 3/8 in)
10. Pocket side seam 14.84 cm (5 7/8 in)
11. Pocket waist seam 5.44 cm (2 1/8 in)
12. Back pocket entry length 12.70 cm (5 in)
13. Side seam back pocket position 5.62 cm (2 1/4 in)
14. Waist to back pocket length 3.55 cm (1 3/8 in)
15. Waist 81.00 cm (31 7/8 in)
16. Hips 100.58 cm (39 5/8 in)

17. Thigh 68.96 cm (27 1/8 in)
18. Knee 50.12 cm (19 3/4 in)
19. Bottom opening 45.69 cm (18 in)
20. Front rise 24.82 cm (9 3/4 in)
21. Back rise 32.68 cm (12 7/8 in)
22. Crotch height 27.05 cm (10 5/8 in)
23. Inseam length 75.84 cm (29 7/8 in)
24. Pants side seam length 82.15 cm (32 3/8 in)
25. Fly zipper length 12.50 cm (4 7/8 in)
26. Pocket bag height 20.49 cm (8 1/8 in)
27. Waistband length 88.96 cm (35 in)
28. Waistband partly elastic length 40.18 cm (15 7/8 in)
29. Waistband button diameter 1.00 cm (3/8 in)
30. Waistband buttons quantity 1.00 pc
31. Hook quantity 1.00 pc
32. Eye quantity 1.00 pc
33. Seam allowance poc max 3.00 none (1 1/8 in)
34. Hem poc max 6.00 none (2 3/8 in)
35. Back pocket height 13.97 cm (5 1/2 in)

Paper Size: A4;
Print Actual Size (100% Scale);





3
POCKET FACING
MAIN FABRIC: Cut 2




1

PANTS B

MAIN FABRI





10
FLY
MAIN FABRIC: Cut 1
7
POCKET BAG BIG RIGHT LINING
LINING: Cut 1
1/4
P

14

BACK PATCH POCKET

MAIN FABRIC: Cut 2








8


POCKET BAG BIG LEFT LINING

LINING: Cut 1


11
FLY INTERFACING
FUSIBLE INTERFACING: Cut 1
4
FLY FACING
MAIN FABRIC: Cut 1
13
FUSIBLE INTERFACING FOR WAISTBAND
FUSIBLE INTERFACING: Cut 2
12
LOOP
MAIN FABRIC: Cut 1









BACK

C: Cut 2







OCKET BAG SMALL LINING


LINING: Cut 2


2/4








4/1






2
WAISTBA
MAIN FABRIC:


ELASTIC LENGTH
LASTIC


H 15 7/8" (40.18) cm




LASTIC




PANTS FRONT RIGHT

MAIN FABRIC: Cut 1



5/1




5


5/2

PANTS FRONT RIGHT



E







E









6/3

6/4

6/5





7/3


7/4


7/5

7/6

PANTS FRONT

MAIN FABRIC: C





9

8/2

8/3

8/4


8/5

8/6


8/7

LEFT

Cut 1



9/1



9/3


9/4


9/5

9/6

9/7

9/8





10/3


10/4


10/5

10/6

10/7

10/8





11/3

11/4

11/5

11/6

11/7

11/8