
cozysewpatterns

# Print this Calibration Test page first!

Size: Height: 167.75, Bust: 99.25, Waist: 82.75, Hips: 106.5
SIZE 12

## Notes




## How to print

### Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

### Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

### Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

SIZE 12
Seam Allowance: 1 (3/8 in)

## Pattern pieces:

1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "FRONT NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
5. "BACK NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
6. "COLLAR", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2


## Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Seam allowance p max 1.50 none (5/8 in)
4. Stretch factor 1.00 none (3/8 in)
5. Stretch factor horizontal 1.00 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Front neck drop 13.04 cm (5 1/8 in)
8. Button diameter 1.00 cm (3/8 in)
9. Front buttons quantity 8.00 pc
10. Across chest 51.65 cm (20 3/8 in)
11. Waist 84.55 cm (33 1/4 in)
12. Hips 57.30 cm (22 1/2 in)
13. Front length from HPS to hem 74.14 cm (29 1/4 in)
14. Center front length to hem 61.26 cm (24 1/8 in)
15. Center back length to hem 70.02 cm (27 5/8 in)
16. Across front 37.41 cm (14 3/4 in)
17. Across back 35.61 cm (14 in)
18. Across shoulders 41.14 cm (16 1/4 in)
19. Side seam 38.71 cm (15 1/4 in)
20. Hemline sweep 75.93 cm (29 7/8 in)
21. Armhole length front 23.78 cm (9 3/8 in)
22. Armhole length back 27.63 cm (10 7/8 in)
23. Neck opening 18.97 cm (7 1/2 in)
24. Neckline length 56.50 cm (22 1/4 in)
25. Back neck drop 3.05 cm (1 1/4 in)


26. Shoulder width 10.70 cm (4 1/4 in)
27. Bust dart to bust dart 24.86 cm (9 3/4 in)
28. Sleeve length 58.17 cm (22 7/8 in)
29. Sleeve upper arm width 34.16 cm (13 1/2 in)
30. Sleeve opening 22.39 cm (8 7/8 in)
31. Sleeve cap length 52.69 none (20 3/4 in)
32. Collar width 9.50 cm (3 3/4 in)
33. Collar edges length 9.00 cm (3 1/2 in)

# cozysewpatterns

Paper Size: LETTER;
Print Actual Size (100% Scale);








# 2


## BACK

**MAIN FABRIC: Cut 1**

1/2








# 4


## FRONT NECK FACING


**MAIN FABRIC: Cut 2**


**FUSIBLE INTERFACING: Cut 2**

2/1














3/2












# 1


## FRONT

**MAIN FABRIC: Cut 2**





# SLEEVE


## MAIN FABRIC: Cut 2





EASE












5/2













5
BACK NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1



6/5







# 6


**COLLAR**

**MAIN FABRIC: Cut 2**

**FUSIBLE INTERFACING: Cut 2**

7/2





7/5