cozysewpatterns

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 85, Waist: 68.75, Hips: 92.75
SIZE 2

Notes

How to print

Printing


Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



SIZE 2
Seam Allowance: 1 (3/8 in)

Pattern pieces:

1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "FRONT NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
5. "BACK NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
6. "COLLAR", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2


Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Seam allowance p max 1.50 none (5/8 in)
4. Stretch factor 1.00 none (3/8 in)
5. Stretch factor horizontal 1.00 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Front neck drop 12.19 cm (4 3/4 in)
8. Button diameter 1.00 cm (3/8 in)
9. Front buttons quantity 8.00 pc
10. Across chest 44.50 cm (17 1/2 in)
11. Waist 78.17 cm (30 3/4 in)
12. Hips 48.60 cm (19 1/8 in)
13. Front length from HPS to hem 72.32 cm (28 1/2 in)
14. Center front length to hem 60.30 cm (23 3/4 in)
15. Center back length to hem 69.87 cm (27 1/2 in)
16. Across front 31.45 cm (12 3/8 in)
17. Across back 33.46 cm (13 1/8 in)
18. Across shoulders 38.91 cm (15 3/8 in)
19. Side seam 41.36 cm (16 1/4 in)
20. Hemline sweep 68.74 cm (27 1/8 in)
21. Armhole length front 20.23 cm (8 in)
22. Armhole length back 23.80 cm (9 3/8 in)
23. Neck opening 18.04 cm (7 1/8 in)
24. Neckline length 53.32 cm (21 in)
25. Back neck drop 2.97 cm (1 1/8 in)


26. Shoulder width 10.23 cm (4 in)
27. Bust dart to bust dart 22.02 cm (8 5/8 in)
28. Sleeve length 57.96 cm (22 7/8 in)
29. Sleeve upper arm width 28.72 cm (11 1/4 in)
30. Sleeve opening 20.36 cm (8 in)
31. Sleeve cap length 45.21 none (17 3/4 in)
32. Collar width 9.50 cm (3 3/4 in)
33. Collar edges length 9.00 cm (3 1/2 in)

cozysewpatterns

Paper Size: LETTER;
Print Actual Size (100% Scale);









2

BACK

MAIN FABRIC: Cut 1

1/2







FRONT NECK FACING


MAIN FABRIC: Cut 2


FUSIBLE INTERFACING: Cut 2

4














3/2















E

3

SLEEVE


MAIN FABRIC: Cut 2






FRONT


MAIN FABRIC: Cut 2





5/2





5/4









5
BACK NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1



6/5






6


COLLAR

MAIN FABRIC: Cut 2

FUSIBLE INTERFACING: Cut 2

7/2





7/5