
cozysewpatterns

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 119.25, Waist: 104.75, Hips: 125.75
SIZE 20

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

SIZE 20
Seam Allowance: 1 (3/8 in)

Pattern pieces:

1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "FRONT NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
5. "BACK NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
6. "COLLAR", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2


Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Seam allowance p max 1.50 none (5/8 in)
4. Stretch factor 1.00 none (3/8 in)
5. Stretch factor horizontal 1.00 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Front neck drop 14.35 cm (5 5/8 in)
8. Button diameter 1.00 cm (3/8 in)
9. Front buttons quantity 9.00 pc
10. Across chest 61.82 cm (24 3/8 in)
11. Waist 95.27 cm (37 1/2 in)
12. Hips 67.89 cm (26 3/4 in)
13. Front length from HPS to hem 78.56 cm (30 7/8 in)
14. Center front length to hem 64.36 cm (25 3/8 in)
15. Center back length to hem 71.73 cm (28 1/4 in)
16. Across front 44.67 cm (17 5/8 in)
17. Across back 38.52 cm (15 1/8 in)
18. Across shoulders 43.45 cm (17 1/8 in)
19. Side seam 38.92 cm (15 3/8 in)
20. Hemline sweep 86.78 cm (34 1/8 in)
21. Armhole length front 26.05 cm (10 1/4 in)
22. Armhole length back 30.29 cm (11 7/8 in)
23. Neck opening 20.31 cm (8 in)
24. Neckline length 61.14 cm (24 1/8 in)
25. Back neck drop 3.18 cm (1 1/4 in)


26. Shoulder width 11.08 cm (4 3/8 in)
27. Bust dart to bust dart 28.95 cm (11 3/8 in)
28. Sleeve length 58.47 cm (23 in)
29. Sleeve upper arm width 42.79 cm (16 7/8 in)
30. Sleeve opening 24.15 cm (9 1/2 in)
31. Sleeve cap length 57.98 none (22 7/8 in)
32. Collar width 9.50 cm (3 3/4 in)
33. Collar edges length 9.00 cm (3 1/2 in)

cozysewpatterns

Paper Size: LETTER;
Print Actual Size (100% Scale);









2


BACK


MAIN FABRIC: Cut 1


1/2
















3/2












1

FRONT


MAIN FABRIC: Cut 2




3


SLEEVE

MAIN FABRIC: Cut 2





EASE







5/1

















5
BACK NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1

6/5





7/1

FRONT NECK FACING

MAIN FABRIC: Cut 2

FUSIBLE INTERFACING: Cut 2



7/4

4


7/5

8/1


8/2


8/3

8/4



8/5







6

COLLAR

MAIN FABRIC: Cut 2

FUSIBLE INTERFACING: Cut 2





9/5