
cozysewpatterns

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 87.75, Waist: 71.25, Hips: 95.25
SIZE 4

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

SIZE 4
Seam Allowance: 1 (3/8 in)

Pattern pieces:

1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "FRONT NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
5. "BACK NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
6. "COLLAR", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2


Pattern Specs (Circumferences are divided by 2):


1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Seam allowance p max 1.50 none (5/8 in)
4. Stretch factor 1.00 none (3/8 in)
5. Stretch factor horizontal 1.00 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Front neck drop 12.31 cm (4 7/8 in)
8. Button diameter 1.00 cm (3/8 in)
9. Front buttons quantity 8.00 pc
10. Across chest 45.88 cm (18 1/8 in)
11. Waist 79.40 cm (31 1/4 in)
12. Hips 50.21 cm (19 3/4 in)
13. Front length from HPS to hem 72.66 cm (28 5/8 in)
14. Center front length to hem 60.52 cm (23 7/8 in)
15. Center back length to hem 69.94 cm (27 1/2 in)
16. Across front 32.56 cm (12 7/8 in)
17. Across back 33.93 cm (13 3/8 in)
18. Across shoulders 39.34 cm (15 1/2 in)
19. Side seam 40.86 cm (16 1/8 in)
20. Hemline sweep 70.08 cm (27 5/8 in)
21. Armhole length front 20.91 cm (8 1/4 in)
22. Armhole length back 24.58 cm (9 5/8 in)
23. Neck opening 18.16 cm (7 1/8 in)
24. Neckline length 53.76 cm (21 1/8 in)
25. Back neck drop 2.98 cm (1 1/8 in)


26. Shoulder width 10.35 cm (4 1/8 in)
27. Bust dart to bust dart 22.56 cm (8 7/8 in)
28. Sleeve length 58.00 cm (22 7/8 in)
29. Sleeve upper arm width 29.50 cm (11 5/8 in)
30. Sleeve opening 20.70 cm (8 1/8 in)
31. Sleeve cap length 46.72 none (18 3/8 in)
32. Collar width 9.50 cm (3 3/4 in)
33. Collar edges length 9.00 cm (3 1/2 in)

cozysewpatterns

Paper Size: LETTER;
Print Actual Size (100% Scale);








2

BACK


MAIN FABRIC: Cut 1


1/2




MAIN FABRIC: Cut 2

FUSIBLE INTERFACING: Cut 2










4


FRONT NECK FACING

MAIN FABRIC: Cut 2














3/2












1
FRONT
MAIN FABRIC: Cut 2



3


SLEEVE

MAIN FABRIC: Cut 2




EASE


3




5/1



5/2


5/3





5/4










5
BACK NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1



6/5







6

COLLAR

MAIN FABRIC: Cut 2

FUSIBLE INTERFACING: Cut 2





7/5