
cozysewpatterns

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 90.25, Waist: 73.75, Hips: 98
SIZE 6

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

cozysewpatterns

SIZE 6
Seam Allowance: 1 (3/8 in)

Pattern pieces:

1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "FRONT NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
5. "BACK NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
6. "COLLAR", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2


Pattern Specs (Circumferences are divided by 2):


1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Seam allowance p max 1.50 none (5/8 in)
4. Stretch factor 1.00 none (3/8 in)
5. Stretch factor horizontal 1.00 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Front neck drop 12.42 cm (4 7/8 in)
8. Button diameter 1.00 cm (3/8 in)
9. Front buttons quantity 8.00 pc
10. Across chest 47.12 cm (18 1/2 in)
11. Waist 80.85 cm (31 7/8 in)
12. Hips 51.98 cm (20 1/2 in)
13. Front length from HPS to hem 73.05 cm (28 3/4 in)
14. Center front length to hem 60.80 cm (23 7/8 in)
15. Center back length to hem 70.03 cm (27 5/8 in)
16. Across front 33.43 cm (13 1/8 in)
17. Across back 34.65 cm (13 5/8 in)
18. Across shoulders 39.70 cm (15 5/8 in)
19. Side seam 40.37 cm (15 7/8 in)
20. Hemline sweep 71.58 cm (28 1/8 in)
21. Armhole length front 21.64 cm (8 1/2 in)
22. Armhole length back 25.44 cm (10 in)
23. Neck opening 18.27 cm (7 1/4 in)
24. Neckline length 54.15 cm (21 3/8 in)
25. Back neck drop 3.00 cm (1 1/8 in)


26. Shoulder width 10.46 cm (4 1/8 in)
27. Bust dart to bust dart 23.06 cm (9 1/8 in)
28. Sleeve length 58.03 cm (22 7/8 in)
29. Sleeve upper arm width 30.00 cm (11 3/4 in)
30. Sleeve opening 21.03 cm (8 1/4 in)
31. Sleeve cap length 48.33 none (19 in)
32. Collar width 9.50 cm (3 3/4 in)
33. Collar edges length 9.00 cm (3 1/2 in)

cozysewpatterns

Paper Size: LETTER;
Print Actual Size (100% Scale);








2


BACK

MAIN FABRIC: Cut 1

1/2









4


FRONT NECK FACING


MAIN FABRIC: Cut 2

FUSIBLE INTERFACING: Cut 2














3/2












1
FRONT
MAIN FABRIC: Cut 2




SLEEVE


MAIN FABRIC: Cut 2




EASE








5/2


5/3





5/4










5
BACK NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1



6/5






6


COLLAR

MAIN FABRIC: Cut 2

FUSIBLE INTERFACING: Cut 2

7/2





7/5