
cozysewpatterns

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 85, Waist: 68.75, Hips: 92.75
SIZE 2

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

SIZE 2
Seam Allowance: 1 (3/8 in)

Pattern pieces:

1. "FRONT", MAIN FABRIC: Cut 1
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "WAISTBAND", RIB TRIMMING: Cut 1
5. "PATCH POCKET", MAIN FABRIC: Cut 1
6. "FUSIBLE INTERFACING FOR POCKET", FUSIBLE INTERFACING: Cut 2
7. "SLEEVE CUFF", RIB TRIMMING: Cut 2
8. "HOOD", MAIN FABRIC: Cut 4


Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Hem poc max 6.00 none (2 3/8 in)
4. Stretch factor 0.98 none (3/8 in)
5. Stretch factor horizontal 0.98 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Waistband width 4.00 cm (1 5/8 in)
8. Neck opening 14.41 cm (5 5/8 in)
9. Hemline sweep 49.90 cm (19 5/8 in)
10. Across chest 45.07 cm (17 3/4 in)
11. Waist 51.20 cm (20 1/8 in)
12. Center front length to hem 55.26 cm (21 3/4 in)
13. Center back length to hem 60.03 cm (23 5/8 in)
14. Front length from HPS to hem 61.69 cm (24 1/4 in)
15. Side seam 34.56 cm (13 5/8 in)
16. Across shoulders 52.78 cm (20 3/4 in)
17. Shoulder width 21.12 cm (8 3/8 in)
18. Front neck drop 6.44 cm (2 1/2 in)
19. Back neck drop 2.67 cm (1 in)
20. Across back 33.19 cm (13 1/8 in)
21. Armhole front 22.48 cm (8 7/8 in)
22. Armhole back 24.68 cm (9 3/4 in)

23. Neckline length 16.12 cm (6 3/8 in)
24. Kangaroo pocket height 19.78 cm (7 3/4 in)
25. Kangaroo pocket width 29.01 cm (11 3/8 in)
26. Waistband length 78.75 cm (30 1/1 in)
27. Sleeve elastic cuff length 13.86 cm (5 1/2 in)
28. Gather sleeve opening 6.75 cm (2 5/8 in)
29. Sleeve upper arm width 41.19 cm (16 1/4 in)
30. Sleeve length 50.13 cm (19 3/4 in)
31. Elastic cuff width 5.00 cm (2 in)
32. Hood depth 22.52 cm (8 7/8 in)
33. Hood height 34.30 cm (13 1/2 in)
34. Hood edges length 34.98 cm (13 3/4 in)
35. Hood length 52.53 cm (20 5/8 in)


cozysewpatterns


Paper Size: LETTER;
Print Actual Size (100% Scale);




FRONT

MAIN FABRIC: Cut 1





1
1/2
FRONT



6
FUSIBLE INTERFACING FOR POCKET


8


HOOD


MAIN FABRIC: Cut 4









2/1





SLEEVE CUFF
RIB TRIMMING: Cut 2


7





1
2
BACK
MAIN FABRIC:
3/1

3/2



2.54) cm




5

PATCH POCKET


MAIN FABRIC: Cut 1


2,54) cm

Cut 1




4/2



HEM 1"




HEM 1"




5/2






5/4




3

SLEEVE

MAIN FABRIC: Cut 2



6/3




6/4

6/5

7/1

4

WAISTBAND
RIB TRIMMING: Cut 1


SACK
M

7/3

7/4


RONT

SIDE SEAL
CENTER

CENTER
SIDE SEA

FOLD

8/3



CENTER FI

8/4


SIDE SEAM