
cozysewpatterns

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 119.25, Waist: 104.75, Hips: 125.75
SIZE 20

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

SIZE 20
Seam Allowance: 1 (3/8 in)

Pattern pieces:

1. "FRONT", MAIN FABRIC: Cut 1
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "WAISTBAND", RIB TRIMMING: Cut 1
5. "PATCH POCKET", MAIN FABRIC: Cut 1
6. "FUSIBLE INTERFACING FOR POCKET", FUSIBLE INTERFACING: Cut 2
7. "SLEEVE CUFF", RIB TRIMMING: Cut 2
8. "HOOD", MAIN FABRIC: Cut 4


Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Hem poc max 6.00 none (2 3/8 in)
4. Stretch factor 0.98 none (3/8 in)
5. Stretch factor horizontal 0.98 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Waistband width 4.00 cm (1 5/8 in)
8. Neck opening 16.58 cm (6 1/2 in)
9. Hemline sweep 66.57 cm (26 1/4 in)
10. Across chest 61.42 cm (24 1/8 in)
11. Waist 66.97 cm (26 3/8 in)
12. Center front length to hem 59.67 cm (23 1/2 in)
13. Center back length to hem 62.67 cm (24 5/8 in)
14. Front length from HPS to hem 67.19 cm (26 1/2 in)
15. Side seam 33.51 cm (13 1/4 in)
16. Across shoulders 62.14 cm (24 1/2 in)
17. Shoulder width 24.36 cm (9 5/8 in)
18. Front neck drop 7.52 cm (3 in)
19. Back neck drop 3.08 cm (1 1/4 in)
20. Across back 39.85 cm (15 3/4 in)
21. Armhole front 27.48 cm (10 7/8 in)
22. Armhole back 29.11 cm (11 1/2 in)

23. Neckline length 18.60 cm (7 3/8 in)
24. Kangaroo pocket height 20.49 cm (8 1/8 in)
25. Kangaroo pocket width 39.68 cm (15 5/8 in)
26. Waistband length 105.05 cm (41 3/8 in)
27. Sleeve elastic cuff length 17.36 cm (6 7/8 in)
28. Gather sleeve opening 7.82 cm (3 1/8 in)
29. Sleeve upper arm width 50.84 cm (20 in)
30. Sleeve length 49.86 cm (19 5/8 in)
31. Elastic cuff width 5.00 cm (2 in)
32. Hood depth 24.58 cm (9 5/8 in)
33. Hood height 34.52 cm (13 5/8 in)
34. Hood edges length 35.97 cm (14 1/8 in)
35. Hood length 53.98 cm (21 1/4 in)

cozysewpatterns


Paper Size: LETTER;
Print Actual Size (100% Scale);



1

FRONT

MAIN FABRIC: Cut 1





1/1


6


FUSIBLE INTERFACING FOR POCKET


FUSIBLE INTERFACING: Cut 2








7
SLEEVE CUFF
RIB TRIMMING: Cut 2

























2


BACK

MAIN FABRIC: Cut 1



4/3








5/2


5/3







3
SLEEVE
MAIN FABRIC: Cut 2
1/9








6/4
8
HOOD
MAIN FABRIC: Cut 4


6/5












7/5

7/6






4

WAISTBAND

RIB TRIMMING: Cut 1


8/1


BACK
HEM 1" (2
2 8/


5


PATCH POCKET


MAIN FABRIC: Cut 1




8/4





RONT




SIDE SEAM


CENTER


9/3
SIDE SEA
FOLD

CENTER

9/5


9/6
SIDE SEAM