
Print this Calibration Test page first!

Size: Height: 166.7, Bust: 85.1, Waist: 76.2, Hips: 88.3

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "WAISTBAND", MAIN FABRIC: Cut 1
5. "PATCH POCKET", MAIN FABRIC: Cut 2
6. "FUSIBLE INTERFACING FOR POCKET", FUSIBLE INTERFACING: Cut 2
7. "HOOD", MAIN FABRIC: Cut 4
8. "NECK FACING", MAIN FABRIC: Cut 1
9. "SLEEVE CUFF", MAIN FABRIC: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Hem poc max 6.00 none (2 3/8 in)
4. Stretch factor 0.98 none (3/8 in)
5. Stretch factor horizontal 0.98 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Waistband width 4.00 cm (1 5/8 in)
8. Front exposed 10mm zipper length 55.00 cm (21 5/8 in)
9. Chest 44.86 cm (17 5/8 in)
10. Waist 33.62 cm (13 1/4 in)
11. Center front length to hem 50.92 cm (20 in)
12. Center back length to hem 57.66 cm (22 3/4 in)
13. Front length from HPS to hem 60.16 cm (23 5/8 in)
14. Side seam 37.03 cm (14 5/8 in)
15. Neck opening 17.82 cm (7 in)
16. Front neck drop 9.24 cm (3 5/8 in)
17. Back neck drop 1.86 cm (3/4 in)
18. Neckline length 57.89 cm (22 3/4 in)
19. Across back 33.32 cm (13 1/8 in)
20. Armhole front 24.06 cm (9 1/2 in)
21. Armhole back 27.94 cm (11 in)

22. Kangaroo pocket height 20.85 cm (8 1/4 in)
23. Kangaroo pocket width 13.18 cm (5 1/4 in)
24. Waistband length 76.23 cm (30 in)
25. Sleeve elastic cuff length 14.69 cm (5 3/4 in)
26. Gather sleeve opening 5.86 cm (2 1/4 in)
27. Sleeve length 71.13 cm (28 in)
28. Sleeve upper arm width 34.20 cm (13 1/2 in)
29. Hood depth 25.73 cm (10 1/8 in)
30. Hood height 34.72 cm (13 5/8 in)
31. Hood edges length 37.44 cm (14 3/4 in)
32. Hood length 54.70 cm (21 1/2 in)
33. Elastic cuff width 5.00 cm (2 in)


Paper Size: A4;
Print Actual Size (100% Scale);





2


BACK

MAIN FABRIC: Cut 1




1/2



6
FUSIBLE INTERFACING FOR POCKET
FUSIBLE INTERFACING Cut 2




3


SLEEVE

MAIN FABRIC: Cut 2



9
SLEEVE CUFF


















FRONT
MAIN FABRIC: Cut 2
3/1



5
PATCH POCKET
MAIN FABRIC: Cut 2
HEM 1" (2.54) cm
3/2



MAI

















HOOD


N FABRIC: Cut 4





4/3





4
WAISTBAND
MAIN FABRIC: Cut 1
CENTER FRONT


SIDE SEAM
5/2
zip


8
CENTER BACK
FOLD


SIDE SEAM


CENTER FRONT