
Print this Calibration Test page first!

Size: Height: 106.7, Bust: 56.5, Waist: 52.1, Hips: 57.5

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "WAISTBAND", MAIN FABRIC: Cut 1
5. "PATCH POCKET", MAIN FABRIC: Cut 2
6. "FUSIBLE INTERFACING FOR POCKET", FUSIBLE INTERFACING: Cut 2
7. "HOOD", MAIN FABRIC: Cut 4
8. "NECK FACING", MAIN FABRIC: Cut 1
9. "SLEEVE CUFF", MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Hem poc max 6.00 none (2 3/8 in)
4. Stretch factor 0.98 none (3/8 in)
5. Stretch factor horizontal 0.98 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Waistband width 4.00 cm (1 5/8 in)
8. Front exposed 10mm zipper length 55.00 cm (21 5/8 in)
9. Chest 30.69 cm (12 1/8 in)
10. Waist 22.80 cm (9 in)
11. Center front length to hem 32.04 cm (12 5/8 in)
12. Center back length to hem 37.09 cm (14 5/8 in)
13. Front length from HPS to hem 39.31 cm (15 1/2 in)
14. Side seam 22.83 cm (9 in)
15. Neck opening 13.46 cm (5 1/4 in)
16. Front neck drop 7.27 cm (2 7/8 in)
17. Back neck drop 1.64 cm (5/8 in)
18. Neckline length 44.04 cm (17 3/8 in)
19. Across back 22.60 cm (8 7/8 in)
20. Armhole front 16.20 cm (6 3/8 in)
21. Armhole back 19.20 cm (7 1/2 in)

22. Kangaroo pocket height 14.00 cm (5 1/2 in)
23. Kangaroo pocket width 8.78 cm (3 1/2 in)
24. Waistband length 50.63 cm (19 7/8 in)
25. Sleeve elastic cuff length 11.08 cm (4 3/8 in)
26. Gather sleeve opening 5.03 cm (2 in)
27. Sleeve length 46.06 cm (18 1/8 in)
28. Sleeve upper arm width 23.37 cm (9 1/4 in)
29. Hood depth 22.04 cm (8 5/8 in)
30. Hood height 30.49 cm (12 in)
31. Hood edges length 31.89 cm (12 1/2 in)
32. Hood length 48.75 cm (19 1/4 in)
33. Elastic cuff width 5.00 cm (2 in)

Paper Size: A4;
Print Actual Size (100% Scale);






2

BACK

MAIN FABRIC: Cut 1


4
WAISTBAND
MAIN FABRIC: Cut 1
CENTER FRONT
1/2

SIDE SEAM
CENTER BACK
HEM 1" (2.54) cm
PATCH POCKET
MAIN FABRIC: Cut 2

1/4

FOLD


SIDE SEAM


SLEEVE CUFF


MAIN FABRIC: Cut 2


9


5



C/T
CENTER FRONT
FUSIBLE INTERFACING FOR POCKET
9




MAIN


8






2/4

3


SLEEVE


MAIN FABRIC: Cut 2





1
FRONT
FABRIC: Cut 2
3/2


zip


HOOD
MAIN FABRIC: Cut 4
4/1



4/3



5/3

5/4