
# Print this Calibration Test page first!

Size: Height: 114.3, Bust: 58.4, Waist: 54, Hips: 60.3

## Notes




## How to print

### Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

### Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

### Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

## Seam Allowance: 1 (3/8 in)

## Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "WAISTBAND", MAIN FABRIC: Cut 1
5. "PATCH POCKET", MAIN FABRIC: Cut 2
6. "FUSIBLE INTERFACING FOR POCKET", FUSIBLE INTERFACING: Cut 2
7. "HOOD", MAIN FABRIC: Cut 4
8. "NECK FACING", MAIN FABRIC: Cut 1
9. "SLEEVE CUFF", MAIN FABRIC: Cut 2


## Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Hem poc max 6.00 none (2 3/8 in)
4. Stretch factor 0.98 none (3/8 in)
5. Stretch factor horizontal 0.98 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Waistband width 4.00 cm (1 5/8 in)
8. Front exposed 10mm zipper length 55.00 cm (21 5/8 in)
9. Chest 31.66 cm (12 1/2 in)
10. Waist 23.63 cm (9 1/4 in)
11. Center front length to hem 34.69 cm (13 5/8 in)
12. Center back length to hem 39.87 cm (15 3/4 in)
13. Front length from HPS to hem 42.19 cm (16 5/8 in)
14. Side seam 24.62 cm (9 3/4 in)
15. Neck opening 14.00 cm (5 1/2 in)
16. Front neck drop 7.50 cm (3 in)
17. Back neck drop 1.65 cm (5/8 in)
18. Neckline length 45.72 cm (18 in)
19. Across back 23.33 cm (9 1/8 in)
20. Armhole front 17.07 cm (6 3/4 in)
21. Armhole back 20.19 cm (8 in)

22. Kangaroo pocket height 14.96 cm (5 7/8 in)
23. Kangaroo pocket width 9.08 cm (3 5/8 in)
24. Waistband length 52.92 cm (20 7/8 in)
25. Sleeve elastic cuff length 11.47 cm (4 1/2 in)
26. Gather sleeve opening 5.12 cm (2 in)
27. Sleeve length 49.18 cm (19 3/8 in)
28. Sleeve upper arm width 24.07 cm (9 1/2 in)
29. Hood depth 22.55 cm (8 7/8 in)
30. Hood height 31.15 cm (12 1/4 in)
31. Hood edges length 32.70 cm (12 7/8 in)
32. Hood length 49.70 cm (19 5/8 in)
33. Elastic cuff width 5.00 cm (2 in)

Paper Size: A4;
Print Actual Size (100% Scale);






# 2

## BACK

### MAIN FABRIC: Cut 1


4
WAISTBAND
MAIN FABRIC: Cut 1
CENTER FRONT
1/2

SIDE SEAM


CENTER BACK


HEM 1" (2.54) cm


5


PATCH POCKET


MAIN FABRIC: Cut 2



SIDE SEAM
FOLD
1/4
9
SLEEVE CUFF
MAIN FABRIC: Cut 2



G/T
CENTER FRONT
FUSIBLE INTERFACING FOR POCKET
9



2/1




8









# 3


## SLEEVE


**MAIN FABRIC: Cut 2**




3/1



1
FRONT
MAIN FABRIC: Cut 2
3/2



zip


HOOD
MAIN FABRIC: Cut 4









5/3

5/4