
Print this Calibration Test page first!

Size: Height: 144.8, Bust: 73.7, Waist: 67.9, Hips: 78.1

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "WAISTBAND", MAIN FABRIC: Cut 1
5. "PATCH POCKET", MAIN FABRIC: Cut 2
6. "FUSIBLE INTERFACING FOR POCKET", FUSIBLE INTERFACING: Cut 2
7. "HOOD", MAIN FABRIC: Cut 4
8. "NECK FACING", MAIN FABRIC: Cut 1
9. "SLEEVE CUFF", MAIN FABRIC: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Hem poc max 6.00 none (2 3/8 in)
4. Stretch factor 0.98 none (3/8 in)
5. Stretch factor horizontal 0.98 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Waistband width 4.00 cm (1 5/8 in)
8. Front exposed 10mm zipper length 55.00 cm (21 5/8 in)
9. Chest 39.32 cm (15 1/2 in)
10. Waist 29.63 cm (11 5/8 in)
11. Center front length to hem 42.47 cm (16 3/4 in)
12. Center back length to hem 48.24 cm (19 in)
13. Front length from HPS to hem 50.79 cm (20 in)
14. Side seam 30.62 cm (12 in)
15. Neck opening 16.17 cm (6 3/8 in)
16. Front neck drop 8.32 cm (3 1/4 in)
17. Back neck drop 1.72 cm (5/8 in)
18. Neckline length 52.32 cm (20 5/8 in)
19. Across back 29.11 cm (11 1/2 in)
20. Armhole front 20.58 cm (8 1/8 in)
21. Armhole back 23.98 cm (9 1/2 in)

22. Kangaroo pocket height 17.33 cm (6 7/8 in)
23. Kangaroo pocket width 11.46 cm (4 1/2 in)
24. Waistband length 67.72 cm (26 5/8 in)
25. Sleeve elastic cuff length 13.16 cm (5 1/8 in)
26. Gather sleeve opening 5.51 cm (2 1/8 in)
27. Sleeve length 62.08 cm (24 1/2 in)
28. Sleeve upper arm width 29.73 cm (11 3/4 in)
29. Hood depth 24.30 cm (9 5/8 in)
30. Hood height 33.82 cm (13 3/8 in)
31. Hood edges length 35.97 cm (14 1/8 in)
32. Hood length 53.07 cm (20 7/8 in)
33. Elastic cuff width 5.00 cm (2 in)


Paper Size: LETTER;
Print Actual Size (100% Scale);




2


BACK


MAIN FABRIC: Cut 1






1/2


PATCH POCKET
MAIN FABRIC: Cut 2
HEM 1" (2.54) cm
6
FUSIBLE INTERFACING FOR POCKET
8



9
SLEEVE CUFF
MAIN FABRIC: Cut 2
5
1/4




2/1









3

SLEEVE


MAIN FABRIC: Cut 2

3/1







4/2




4/3



HOOD
MAIN FABRIC: Cut 4



5/3

5/4





6/3


6/4


6/5

1

FRONT


MAIN FABRIC: Cut 2







7/3

7/5



FRONT
AM
8/1


zip
8/8
BACK

8/3



8/4



8/5


CENTER F


4

WAISTBAND

MAIN FABRIC: Cut 1

SIDE SEA


9/2
CENTER


FOLD
9/3
SIDE SEA

9/4

CENTER FI

9/5