
Print this Calibration Test page first!

Size: Height: 156.2, Bust: 80, Waist: 72.4, Hips: 82.6

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "WAISTBAND", MAIN FABRIC: Cut 1
5. "PATCH POCKET", MAIN FABRIC: Cut 2
6. "FUSIBLE INTERFACING FOR POCKET", FUSIBLE INTERFACING: Cut 2
7. "HOOD", MAIN FABRIC: Cut 4
8. "NECK FACING", MAIN FABRIC: Cut 1
9. "SLEEVE CUFF", MAIN FABRIC: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Hem poc max 6.00 none (2 3/8 in)
4. Stretch factor 0.98 none (3/8 in)
5. Stretch factor horizontal 0.98 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Waistband width 4.00 cm (1 5/8 in)
8. Front exposed 10mm zipper length 55.00 cm (21 5/8 in)
9. Chest 42.40 cm (16 3/4 in)
10. Waist 31.71 cm (12 1/2 in)
11. Center front length to hem 45.53 cm (17 7/8 in)
12. Center back length to hem 51.66 cm (20 3/8 in)
13. Front length from HPS to hem 54.09 cm (21 1/4 in)
14. Side seam 33.18 cm (13 1/8 in)
15. Neck opening 16.74 cm (6 5/8 in)
16. Front neck drop 8.55 cm (3 3/8 in)
17. Back neck drop 1.74 cm (5/8 in)
18. Neckline length 54.10 cm (21 1/4 in)
19. Across back 31.45 cm (12 3/8 in)
20. Armhole front 22.03 cm (8 5/8 in)
21. Armhole back 25.58 cm (10 1/8 in)

22. Kangaroo pocket height 18.37 cm (7 1/4 in)
23. Kangaroo pocket width 12.41 cm (4 7/8 in)
24. Waistband length 71.59 cm (28 1/8 in)
25. Sleeve elastic cuff length 13.78 cm (5 3/8 in)
26. Gather sleeve opening 5.65 cm (2 1/4 in)
27. Sleeve length 66.91 cm (26 3/8 in)
28. Sleeve upper arm width 32.32 cm (12 3/4 in)
29. Hood depth 24.62 cm (9 3/4 in)
30. Hood height 34.65 cm (13 5/8 in)
31. Hood edges length 36.98 cm (14 1/2 in)
32. Hood length 53.95 cm (21 1/4 in)
33. Elastic cuff width 5.00 cm (2 in)


Paper Size: LETTER;
Print Actual Size (100% Scale);




2


BACK

MAIN FABRIC: Cut 1






1/2


HEM 1" (2.54) cm
5
PATCH POCKET
MAIN FABRIC: Cut 2
8



9
SLEEVE CUFF
MAIN FABRIC: Cut 2
1/4

1/5
FUSIBLE INTERFACING FOR POCKET
6










3


SLEEVE


MAIN FABRIC:

3/1



3/2


Cut 2





4/3






5/3

5/4


7

HOOD

MAIN FABRIC: Cut 4




6/1



6/3

6/4


6/5




1

FRONT


MAIN FABRIC: Cut 2






7/3

7/5





8/3

8/4

8/5

9/1


CENTER FRONT


4


WAISTBAND

MAIN FABRIC: Cut 1

SIDE SEAM


zip
9/2
CENTER BACK


FOLD
SIDE SEAM


CENTER FRONT

9/5