
Print this Calibration Test page first!

Size: Height: 176.5, Bust: 90.2, Waist: 80, Hips: 94

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "WAISTBAND", MAIN FABRIC: Cut 1
5. "PATCH POCKET", MAIN FABRIC: Cut 2
6. "FUSIBLE INTERFACING FOR POCKET", FUSIBLE INTERFACING: Cut 2
7. "HOOD", MAIN FABRIC: Cut 4
8. "NECK FACING", MAIN FABRIC: Cut 1
9. "SLEEVE CUFF", MAIN FABRIC: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Hem poc max 6.00 none (2 3/8 in)
4. Stretch factor 0.98 none (3/8 in)
5. Stretch factor horizontal 0.98 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Waistband width 4.00 cm (1 5/8 in)
8. Front exposed 10mm zipper length 61.00 cm (24 in)
9. Chest 47.29 cm (18 5/8 in)
10. Waist 35.51 cm (14 in)
11. Center front length to hem 55.75 cm (22 in)
12. Center back length to hem 63.17 cm (24 7/8 in)
13. Front length from HPS to hem 65.67 cm (25 7/8 in)
14. Side seam 40.53 cm (16 in)
15. Neck opening 18.96 cm (7 1/2 in)
16. Front neck drop 9.92 cm (3 7/8 in)
17. Back neck drop 1.97 cm (3/4 in)
18. Neckline length 61.81 cm (24 3/8 in)
19. Across back 35.18 cm (13 7/8 in)
20. Armhole front 26.01 cm (10 1/4 in)
21. Armhole back 30.18 cm (11 7/8 in)

22. Kangaroo pocket height 23.12 cm (9 1/8 in)
23. Kangaroo pocket width 13.94 cm (5 1/2 in)
24. Waistband length 80.83 cm (31 7/8 in)
25. Sleeve elastic cuff length 15.69 cm (6 1/8 in)
26. Gather sleeve opening 6.09 cm (2 3/8 in)
27. Sleeve length 74.81 cm (29 1/2 in)
28. Sleeve upper arm width 37.15 cm (14 5/8 in)
29. Hood depth 26.96 cm (10 5/8 in)
30. Hood height 34.72 cm (13 5/8 in)
31. Hood edges length 37.90 cm (14 7/8 in)
32. Hood length 55.62 cm (21 7/8 in)
33. Elastic cuff width 5.00 cm (2 in)


Paper Size: LETTER;
Print Actual Size (100% Scale);





2


BACK

MAIN FABRIC: Cut 1







6
FUSIBLE INTERFACING FOR POCKET
FUSIBLE INTERFACING: Cut 2





3


SLEEVE


MAIN FABRIC: Cut 2


















3/1












NT


IC: Cut 2






5
PATCH POCKET
MAIN FABRIC: Cut 2
HEM 1" (2.54) c
9
SLEEVE CUFF
MAIN FABRIC: Cut 2



HOOD
MAIN FABRIC: Cut 4




5/1


5/2
8
zip






6/1


CENTER FRONT

4


WAISTBAND

MAIN FABRIC: Cut 1


6/2
SIDE SEAM


6/3
CENTER BACK
FOLD

6/4
SIDE SEAM


6/5
CENTER FRONT