
Print this Calibration Test page first!

Size: Height: 91.4, Bust: 53.3, Waist: 48.9, Hips: 52.7

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "WAISTBAND", MAIN FABRIC: Cut 1
5. "PATCH POCKET", MAIN FABRIC: Cut 2
6. "FUSIBLE INTERFACING FOR POCKET", FUSIBLE INTERFACING: Cut 2
7. "HOOD", MAIN FABRIC: Cut 4
8. "NECK FACING", MAIN FABRIC: Cut 1
9. "SLEEVE CUFF", MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Hem poc max 6.00 none (2 3/8 in)
4. Stretch factor 0.98 none (3/8 in)
5. Stretch factor horizontal 0.98 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Waistband width 4.00 cm (1 5/8 in)
8. Front exposed 10mm zipper length 35.00 cm (13 3/4 in)
9. Chest 29.04 cm (11 3/8 in)
10. Waist 21.38 cm (8 3/8 in)
11. Center front length to hem 27.20 cm (10 3/4 in)
12. Center back length to hem 32.02 cm (12 5/8 in)
13. Front length from HPS to hem 34.07 cm (13 3/8 in)
14. Side seam 19.48 cm (7 5/8 in)
15. Neck opening 12.46 cm (4 7/8 in)
16. Front neck drop 6.87 cm (2 3/4 in)
17. Back neck drop 1.62 cm (5/8 in)
18. Neckline length 40.98 cm (16 1/8 in)
19. Across back 21.37 cm (8 3/8 in)
20. Armhole front 14.54 cm (5 3/4 in)
21. Armhole back 17.41 cm (6 7/8 in)

22. Kangaroo pocket height 12.35 cm (4 7/8 in)
23. Kangaroo pocket width 8.27 cm (3 1/4 in)
24. Waistband length 46.72 cm (18 3/8 in)
25. Sleeve elastic cuff length 10.40 cm (4 1/8 in)
26. Gather sleeve opening 4.88 cm (1 7/8 in)
27. Sleeve length 39.70 cm (15 5/8 in)
28. Sleeve upper arm width 22.19 cm (8 3/4 in)
29. Hood depth 20.97 cm (8 1/4 in)
30. Hood height 28.95 cm (11 3/8 in)
31. Hood edges length 30.18 cm (11 7/8 in)
32. Hood length 46.60 cm (18 3/8 in)
33. Elastic cuff width 5.00 cm (2 in)

Paper Size: LETTER;
Print Actual Size (100% Scale);





2

BACK

MAIN FABRIC: Cut 1

1/2

CENTER FRONT

SIDE SEAM

4


WAISTBAND


MAIN FABRIC: Cut 1

9


SLEEVE CUFF


MAIN FABRIC: Cut 2



CENTER BACK
FOLD
8



1/4
SIDE SEAM
CENTER FRONT


HEM 1" (2.54) cm
5
PATCH POCKET
MAIN FABRIC: Cut 2
6
FUSIBLE INTERFACING FOR POCKET


3
SLEE
MAIN FABR
2/1


1
FRONT
MAIN FABRIC: C




VE
IC: Cut 2
3/1



Cut 2
3/2


zip


7

HOOD


MAIN FABRIC: Cut 4



4/1



4/3



5/2

5/3

5/4