
Print this Calibration Test page first!

Size: Height: 120.7, Bust: 60.3, Waist: 55.9, Hips: 63.2

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "WAISTBAND", MAIN FABRIC: Cut 1
5. "PATCH POCKET", MAIN FABRIC: Cut 2
6. "FUSIBLE INTERFACING FOR POCKET", FUSIBLE INTERFACING: Cut 2
7. "HOOD", MAIN FABRIC: Cut 4
8. "NECK FACING", MAIN FABRIC: Cut 1
9. "SLEEVE CUFF", MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Hem poc max 6.00 none (2 3/8 in)
4. Stretch factor 0.98 none (3/8 in)
5. Stretch factor horizontal 0.98 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Waistband width 4.00 cm (1 5/8 in)
8. Front exposed 10mm zipper length 55.00 cm (21 5/8 in)
9. Chest 32.62 cm (12 7/8 in)
10. Waist 24.47 cm (9 5/8 in)
11. Center front length to hem 35.98 cm (14 1/8 in)
12. Center back length to hem 41.34 cm (16 1/4 in)
13. Front length from HPS to hem 43.68 cm (17 1/4 in)
14. Side seam 25.69 cm (10 1/8 in)
15. Neck opening 14.59 cm (5 3/4 in)
16. Front neck drop 7.70 cm (3 in)
17. Back neck drop 1.66 cm (5/8 in)
18. Neckline length 47.47 cm (18 3/4 in)
19. Across back 24.06 cm (9 1/2 in)
20. Armhole front 17.35 cm (6 7/8 in)
21. Armhole back 20.55 cm (8 1/8 in)

22. Kangaroo pocket height 15.31 cm (6 in)
23. Kangaroo pocket width 9.38 cm (3 3/4 in)
24. Waistband length 55.28 cm (21 3/4 in)
25. Sleeve elastic cuff length 11.73 cm (4 5/8 in)
26. Gather sleeve opening 5.18 cm (2 in)
27. Sleeve length 51.79 cm (20 3/8 in)
28. Sleeve upper arm width 24.78 cm (9 3/4 in)
29. Hood depth 23.01 cm (9 in)
30. Hood height 31.64 cm (12 1/2 in)
31. Hood edges length 33.36 cm (13 1/8 in)
32. Hood length 50.44 cm (19 7/8 in)
33. Elastic cuff width 5.00 cm (2 in)

Paper Size: LETTER;
Print Actual Size (100% Scale);







2

BACK


MAIN FABRIC: Cut 1



4
WAISTBAND
MAIN FABRIC: Cut 1
CENTER FRONT
1/2


SIDE SEAM
CENTER BACK
HEM 1" (2.54) cm
5
PATCH POCK
MAIN FABRIC: C



SIDE SEAM
FOLD
1/4
9
SLEEVE CUFF
MAIN FABRIC: Cut 2


CENTER FRONT
6
FUSIBLE INTERFACING FOR POCKET







KET
Cut 2
8








3

SLEEVE


MAIN FABRIC: Cut 2



N FABRIC: Cut 2




3/2




1

3/4

FRONT



HOO
MAIN FABR




zip

)D

IC: Cut 4



5/1



5/3

5/4



6/3

6/4

6/5