
Print this Calibration Test page first!

Size: Height: 156.2, Bust: 80, Waist: 72.4, Hips: 82.6
Pattern Name: -

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Pattern Name: -
Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 1
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "WAISTBAND", MAIN FABRIC: Cut 1
5. "PATCH POCKET", MAIN FABRIC: Cut 1
6. "FUSIBLE INTERFACING FOR POCKET", FUSIBLE INTERFACING: Cut 2
7. "FRONT NECK ENCLOSED BINDING", MAIN FABRIC: Cut 1
8. "SLEEVE CUFF", MAIN FABRIC: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Hem poc max 6.00 none (2 3/8 in)
4. Stretch factor 0.92 none (3/8 in)
5. Stretch factor horizontal 0.92 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Waistband width 4.00 cm (1 5/8 in)
8. Chest 51.98 cm (20 1/2 in)
9. Waist 35.24 cm (13 7/8 in)
10. Center front length to hem 47.15 cm (18 5/8 in)
11. Center back length to hem 52.06 cm (20 1/2 in)
12. Front length from HPS to hem 52.72 cm (20 3/4 in)
13. Side seam 30.30 cm (11 7/8 in)
14. Shoulder width 18.79 cm (7 3/8 in)
15. Neck opening 13.60 cm (5 3/8 in)
16. Front neck drop 5.57 cm (2 1/4 in)
17. Back neck drop 3.93 cm (1 1/2 in)
18. Neckline length 35.76 cm (14 1/8 in)
19. Armhole front 17.27 cm (6 3/4 in)
20. Armhole back 23.56 cm (9 1/4 in)
21. Kangaroo pocket height 18.37 cm (7 1/4 in)
22. Kangaroo pocket width 27.96 cm (11 in)

23. Waistband length 75.20 cm (29 5/8 in)
24. Neckline enclosed binding width 1.00 cm (3/8 in)
25. Sleeve elastic cuff length 13.80 cm (5 3/8 in)
26. Gather sleeve opening 5.67 cm (2 1/4 in)
27. Sleeve upper arm width 38.32 cm (15 1/8 in)
28. Sleeve length 54.68 cm (21 1/2 in)
29. Elastic cuff width 5.00 cm (2 in)


Paper Size: A4;
Print Actual Size (100% Scale);





2


BACK

MAIN FABRIC: Cut 1




1/2


HEM 1" (2.54) cm





5


PATCH POCKET


MAIN FABRIC: Cut 1


HEM 1". (2.54) cm
9
FUSIBLE INTERFACING FOR POCKET




MAIN FABRIC: Cut 2
7


SLEEVE CUFF
8
FOLD







1


FRON

MAIN FABRIC

3/1



3/2







T


C: Cut 1



1/1









3


SLEEVE

MAIN FABRIC: Cut 2

5/1









5/4

6/1








6/3

6/4

6/5


4
WAISTBAND
MAIN FABRIC: Cut 1
SIDE SEAM
1/4


CENTER BACK
SIDE SEAM


7/3
FOLD
SIDE SEAM
CENTER FRONT

SIDE SEAM