
Print this Calibration Test page first!

Size: Height: 166.7, Bust: 85.1, Waist: 76.2, Hips: 88.3
Pattern Name: -

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Pattern Name: -
Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 1
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "WAISTBAND", MAIN FABRIC: Cut 1
5. "PATCH POCKET", MAIN FABRIC: Cut 1
6. "FUSIBLE INTERFACING FOR POCKET", FUSIBLE INTERFACING: Cut 2
7. "FRONT NECK ENCLOSED BINDING", MAIN FABRIC: Cut 1
8. "SLEEVE CUFF", MAIN FABRIC: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Hem poc max 6.00 none (2 3/8 in)
4. Stretch factor 0.92 none (3/8 in)
5. Stretch factor horizontal 0.92 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Waistband width 4.00 cm (1 5/8 in)
8. Chest 54.46 cm (21 1/2 in)
9. Waist 36.74 cm (14 1/2 in)
10. Center front length to hem 52.74 cm (20 3/4 in)
11. Center back length to hem 58.06 cm (22 7/8 in)
12. Front length from HPS to hem 58.67 cm (23 1/8 in)
13. Side seam 33.67 cm (13 1/4 in)
14. Shoulder width 19.44 cm (7 5/8 in)
15. Neck opening 14.60 cm (5 3/4 in)
16. Front neck drop 5.93 cm (2 3/8 in)
17. Back neck drop 4.19 cm (1 5/8 in)
18. Neckline length 38.30 cm (15 1/8 in)
19. Armhole front 19.93 cm (7 7/8 in)
20. Armhole back 26.73 cm (10 1/2 in)
21. Kangaroo pocket height 20.85 cm (8 1/4 in)
22. Kangaroo pocket width 29.23 cm (11 1/2 in)

23. Waistband length 79.30 cm (31 1/4 in)
24. Neckline enclosed binding width 1.00 cm (3/8 in)
25. Sleeve elastic cuff length 14.71 cm (5 3/4 in)
26. Gather sleeve opening 5.87 cm (2 1/4 in)
27. Sleeve upper arm width 40.59 cm (16 in)
28. Sleeve length 60.97 cm (24 in)
29. Elastic cuff width 5.00 cm (2 in)


Paper Size: A4;
Print Actual Size (100% Scale);





2


BACK

MAIN FABRIC: Cut 1









HEM 1" (2.54) c


5
PATCH POCKET
MAIN FABRIC: Cut 1
1/4


HEM 1": (2.54) cm


2/1




6
FUSIBLE INTERFACING FOR POCKET
8
SLEEVE CUFF
MAIN FABRIC: Cut 2
2/4







1


FRONT


MAIN FABRIC: Cut 1


3/2





FOLD








4/1

4/2











3
SLE
MAIN FABR

5/2









5/4

3

EVE

RIC: Cut 2





6/4

6/5


7/1


SIDE SEAM

4


WAISTBAND


MAIN FABRIC: Cut 1


CENTER BACK
7/2


SIDE SEAM
FOLD

7/4




SIDE SEAM