
cozysewpatterns

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 82.5, Waist: 66, Hips: 90.25
SIZE 0

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

SIZE 0
Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "WAISTBAND", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
2. "SKIRT RIGHT FRONT", MAIN FABRIC: Cut 1
3. "SKIRT LEFT FRONT", MAIN FABRIC: Cut 1
4. "SKIRT RIGHT BACK", MAIN FABRIC: Cut 1
5. "SKIRT LEFT BACK", MAIN FABRIC: Cut 1

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Stretch factor 1.00 none (3/8 in)
4. Stretch factor horizontal 1.00 none (3/8 in)
5. Stretch factor vertical 1.00 none (3/8 in)
6. Skirt side invisible zipper length 16.00 cm (6 1/4 in)
7. Waist 33.66 cm (13 1/4 in)
8. Center front length from waist to hem 56.06 cm (22 1/8 in)
9. Center back length from waist to hem 56.06 cm (22 1/8 in)
10. Skirt side seam 56.06 cm (22 1/8 in)
11. Low hips 46.48 cm (18 1/4 in)
12. Half skirt pleats 6.00 none (2 3/8 in)
13. Pleat bottom width 9.12 none (3 5/8 in)
14. Pleat depth hipline 5.61 none (2 1/4 in)
15. Waistband width 3.00 cm (1 1/8 in)
16. Waistband length 70.12 cm (27 5/8 in)
17. Waistband button diameter 1.00 cm (3/8 in)
18. Waistband buttons quantity 1.00 pc

cozysewpatterns

Paper Size: A4;
Print Actual Size (100% Scale);



1/1

3


SKIRT LEFT FRONT


MAIN FABRIC: Cut 1

SPACE

OLD

OLD



1/2
OLD
SPACE
OLD


1/3
ZIP
SPACE
OLD

2/1


UNDERF


UNDERF



UNDERF
UNDERF

UNDERF

2/3


4
SKIRT RIGHT BACK
MAIN FABRIC: Cut 1
3/1


3/2





4/1


SPACE


UNDERFOLD


UNDERFOLD


SPACE
UNDERFOLD
UNDERFOLD


SPACE
4/3
UNDERFOLD


2
SKIRT RIGHT FRONT
MAIN FABRIC: Cut 1
5/1






5/4

UNDERFOLD


SPACE

UNDERFOLD


SPACE
UNDERFOLD
UNDERFOLD


UNDERFOLD


SPACE




6/4

6/5



5
SKIRT LEFT BACK
MAIN FABRIC: Cut 1






7/4


7/5


T/8
ZIP
UNDERFOLD
SPACE
UNDERFOLD


SPACE
UNDERFOLD
UNDERFOLD


UNDERFOLD

SPACE





8/4


8/5


1
WAISTBAND
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1
SIDE SEAM

9/2




WAISTLINE
FOLD
CENTER FRONT
WAISTLINE


SIDE
SEAM

9/5