cozysewpatterns

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 95.25, Waist: 78.75, Hips: 102.75
SIZE 10

Notes

How to print

Printing


Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



cozysewpatterns

SIZE 10
Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "WAISTBAND", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
2. "SKIRT RIGHT FRONT", MAIN FABRIC: Cut 1
3. "SKIRT LEFT FRONT", MAIN FABRIC: Cut 1
4. "SKIRT RIGHT BACK", MAIN FABRIC: Cut 1
5. "SKIRT LEFT BACK", MAIN FABRIC: Cut 1


Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Stretch factor 1.00 none (3/8 in)
4. Stretch factor horizontal 1.00 none (3/8 in)
5. Stretch factor vertical 1.00 none (3/8 in)
6. Skirt side invisible zipper length 17.00 cm (6 3/4 in)
7. Waist 40.16 cm (15 3/4 in)
8. Center front length from waist to hem 55.80 cm (22 in)
9. Center back length from waist to hem 55.80 cm (22 in)
10. Skirt side seam 55.80 cm (22 in)
11. Low hips 52.97 cm (20 7/8 in)
12. Half skirt pleats 6.00 none (2 3/8 in)
13. Pleat bottom width 10.06 none (4 in)
14. Pleat depth hipline 6.69 none (2 5/8 in)
15. Waistband width 3.00 cm (1 1/8 in)
16. Waistband length 83.67 cm (33 in)
17. Waistband button diameter 1.00 cm (3/8 in)
18. Waistband buttons quantity 1.00 pc

cozysewpatterns

Paper Size: A4;
Print Actual Size (100% Scale);





1/1
SPACE
OLD


2

SKIRT RIGHT FRONT

MAIN FABRIC: Cut 1



1/3
E
OLD
OLD
SPAC


L/4
CE


2/1


UNDERFC


UNDERFO
UNDERFO


UNDERFC


UNDERFC




3/1


3
SKIRT LEFT FRONT
MAIN FABRIC: Cut 1
3/2




3/4
ZIP

4/1

UNDERFOLD

SPACE

SPAC

UNDERFOLD


UNDERFOLD


E 4/3


UNDERFOLD


UNDERFOLD


SPAC




5/1



4
SKIRT RIGHT BACK
MAIN FABRIC: Cut 1
5/2


5/3



UNDERFOLD

SPACE


UNDERFOLD
UNDERFOLD
SPAC

E


UNDERFOLD


UNDERFOLD


SPAC


CE

6/5




5
SKIRT LEFT BACK
MAIN FABRIC: Cut 1
7/2





7/5

ZIP

8/1

UNDERFOLD

SPACE

UNDERFOLD

UNDERFOLD

SPAC

8/3

E

UNDERFOLD

UNDERFOLD

SPAC

CE


8/5


9/1


SIDE SEAM


1

WAISTBAND
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1


9/2
CENTER BACK


WAISTLINE
FOLD
SIDE SEAM
WAISTLINE


CENTER FRONT


SIDE
SEAM