cozysewpatterns

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 80, Waist: 63.5, Hips: 87.75
SIZE 00

Notes

How to print

Printing


Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



cozysewpatterns

SIZE 00
Seam Allowance: 1 (3/8 in)

Pattern pieces:

1. "CENTER FRONT", MAIN FABRIC: Cut 1
2. "SIDE FRONT", MAIN FABRIC: Cut 2
3. "SKIRT FRONT", MAIN FABRIC: Cut 1
4. "CENTER BACK", MAIN FABRIC: Cut 2
5. "SIDE BACK", MAIN FABRIC: Cut 2
6. "SKIRT BACK", MAIN FABRIC: Cut 2
7. "SLEEVE", MAIN FABRIC: Cut 2
8. "FRONT NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
9. "BACK NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
10. "POCKET BAG", LINING: Cut 4


Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Stretch factor 1.00 none (3/8 in)
4. Stretch factor horizontal 1.00 none (3/8 in)
5. Stretch factor vertical 1.00 none (3/8 in)
6. Waist seam 69.59 cm (27 3/8 in)
7. Front length from HPS to waist seam 41.84 cm (16 1/2 in)
8. Center front length to waist seam 27.82 cm (11 in)
9. Center back length to waist seam 40.90 cm (16 1/8 in)
10. Across chest 43.75 cm (17 1/4 in)
11. Across front 29.83 cm (11 3/4 in)
12. Across back 32.79 cm (12 7/8 in)
13. Top side seam 21.03 cm (8 1/4 in)
14. Across shoulders 18.92 cm (7 1/2 in)
15. Armhole length front 18.06 cm (7 1/8 in)
16. Armhole length back 21.55 cm (8 1/2 in)
17. Neck opening 18.30 cm (7 1/4 in)
18. Neckline length 62.44 cm (24 5/8 in)
19. Shoulder width 10.57 cm (4 1/8 in)
20. Front neck drop 14.89 cm (5 7/8 in)
21. Back neck drop 2.82 cm (1 1/8 in)

22. Sleeve length 61.43 cm (24 1/8 in)
23. Sleeve gather cap 11.12 cm (4 3/8 in)
24. Sleeve upper arm width 34.56 cm (13 5/8 in)
25. Sleeve opening 21.78 cm (8 5/8 in)
26. Seam allowance poc max 3.00 none (1 1/8 in)
27. Back invisible zipper length 56.00 cm (22 in)
28. Pocket entry length 12.68 cm (5 in)
29. Waist to pocket length 7.40 cm (2 7/8 in)
30. Skirt side seam 48.45 cm (19 1/8 in)
31. Hemline sweep 107.34 cm (42 1/4 in)
32. Center front length from waist seam to hem 48.46 cm (19 1/8 in)
33. Center back length from waist seam to hem 48.45 cm (19 1/8 in)


cozysewpatterns

Paper Size: A4;
Print Actual Size (100% Scale);



SKIRT FRONT

MAIN FABRIC: Cut 1




9


BACK NECK FACING


MAIN FABRIC: Cut 2


FUSIBLE INTERFACING: Cut 2





د






1
CENTER FRONT
MAIN FABRIC: Cut 1
1/4














ZIP



3/2







5

SIDE BACK


MAIN FABRIC: C


3/4


4

ENTER BACK

N FABRIC: Cut 2


6
SKIRT BACK
MAIN FABRIC: Cut 2
4/1






ut 2


7

SLEEVE


AIN FABRIC: Cut 2


HEM 3/4"
(2) cm



CE
MAI











MA








8
FRONT NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1



POCKET
LINING:

EASE
1
BUCKET




2
SIDE FRONT
MAIN FABRIC: Cut 2


712


BAG
Cut 4

7/5



8/1

8/2

8/3

8/4

8/5